

PATIO STONE | SANDIA®

Sandia®

Keystone's Sandia patio stone is distinctive in character and design, creating natural looking, one-of-a-kind spaces. Sandia patio stone features false joints which create the natural beauty of irregular cobble stones; achieving the warmth and elegance of hand-laid stone in less time and effort.



Unit Dimensions

2" h x 17" w x 11.3" d (50mm x 432mm x 287mm)

Unit Weight: 28 lbs (13 kg)

Units/sq.ft.: 0.75

FEATURES & BENEFITS

Perfect for:

- Patios
- Walkways

Product Design & Appearance

- Large format patio slab.
- Multiple stone sizes in each unit.
- Texture and shape combine to create compelling patterns.

Easy to Install:

- Interlocking connection system.
- Simple laying patterns provide stunning results.


Note: Unit color, dimensions, weight & availability varies by manufacturer.



PATIO STONE | SANDIA®

Sandia®

LAYING PATTERNS



FOLLOW US



Keystone Retaining Wall Systems LLC
4444 West 78th Street • Minneapolis, MN 55435
(952) 897-1040 • www.keystonewalls.com

©2018 Keystone Retaining Wall Systems LLC





PATIO STONE | SANDIA®

Sandia®

INSTALLATION



1. Mark & Dig

Excavate the installation area to approximately 6in. (152mm) larger on all sides than the actual finished size.



2. Base & Compact

Install patio base to a compacted finished thickness of 4in. (102mm) for patios and walkways.



3. Base Preparation

Lay a 1in. (25mm) outside diameter pipe on base. Spread 1in. (25mm) of sand over compacted base. Level the sand by dragging a 2in. x 4in. (51mm x 102mm) board over pipe.



4. Lay Stones

Lay patio stones in the desired pattern. If the desired pattern requires cutting, the patio stones can be cut with a wet saw.



5. Edge Restraint

Install patio restraint edging and spikes around the project, according to the manufacturer's instruction.



6. Sand & Finish

Spread sand on the installation and sweep into joints, according to manufacturer's instructions. Sweep off any loose sand from project surface.

ESTIMATING

Use this chart to estimate the number of Sandia units you will need.

	Project Square Feet (length x width)							
	20' (6.1m)	30' (9.1m)	50' (15.2m)	100' (30.5m)	150' (45.7m)	200' (61.0m)	250' (76.2m)	300' (91.4m)
Units	15	23	38	75	113	150	188	225

FOLLOW US



Keystone Retaining Wall Systems LLC
4444 West 78th Street • Minneapolis, MN 55435
(952) 897-1040 • www.keystonewalls.com

©2018 Keystone Retaining Wall Systems LLC

