


Note: Image above does not exactly match the detail within this design.



SQUARE FIRE PIT INSTALLATION INSTRUCTIONS



## KEYSTONE BUILDING IDEAS • SQUARE FIRE PIT




# COURSE BY COURSE INSTRUCTIONS




### Step 1 : Prepare the location

After selecting your location, measure the required 5' 2" for the square length and width. Remove dirt from the square until you have a hole 12" deep with a level bottom.




## Step 2 : Construct the leveling pad

Add 3" of crushed stone. Level and compact with a hand tamper. Repeat one time to complete the 6" leveling pad. Use illustration above as a guide.



#### 5'-2" (Typ) • • :• () <u></u>. 1:0 • :•\ <u></u>... :0 °,° °,° 10" (Typ) -10" (Typ) $\bigcirc$ °°• •\_• •••• ۰。• ۰。• 6" Large / Medlum °°. and Smal Unit (Typ) °° • ംം °° / $\bigcirc$ °\_° 3'-6" (Typ) °°. °°. :0 °. \•° <u></u>. ·: () ·:



## Step 3 : Installing the first/even course(s)

Typical Base and / or Odd Numbered Courses

Fire Pit Plan View


For the first course, place the units as illustrated above on the prepared leveling pad. The first course must be 6" below finished grade. Check the front-to-back and side-to-side of each unit to make sure it is level. Adjust as necessary with sand.

## Step 4 : Installing the second/odd course(s)

Place two ¼" wide strips of exterior grade construction adhesive completely around the first course approximately 3" away from the edge of the units. Place the second course of units on top of the first course as illustrated above. Apply adhesive as before. Continue alternating course layouts as indicated until the fourth course is completed.

## Step 5 : Capping the Fire Pit

Hard split all exposed perimeter cap units labeled "split" cap units and soften the outside edges of the hard split "split" cap units using a masons hammer to match the cap units tumbled edges. Saw cut all other interior cap units labeled "cut" units. Optional miter cut cap units at corners to continue the KeyKut face look around the corners.



## Fire Pit Lining Note:

It is recommended that the inside area of the fire pit be lined with a steel shield or high strength brick or paver units or equal to protect the 6" Keystone Country Manor units from the affects of direct heat degradation. Do not use fire brick as a liner material. Optional steel shield liner cap with rim only, may be welded to the steel shield liner.

Don't forget to check out all of our Keystone Outdoor Living designs on keystonewalls.com.



Outdoor Kitchen Designs

Fireplaces

Columns

Outdoor Table

Water Feature

Bench



Keystone Retaining Wall Systems LLC 4444 West 78th Street • Minneapolis, MN 55435 (952) 897-1040 • www.keystonewalls.com

> FOLLOW US f≫₽₽₽⊡in

We reserve the right to improve our products and make changes in the specifications and design without notice. The information contained herein has been compiled by KEYSTONE and to the best of our knowledge, accurately represents the KEYSTONE product use in the applications which are illustrated. Final determination of the suitability for the use contemplated and its manner of use are the sole responsibility of the user.